

MANU0012-065

Sample ID: BIA260115S0312
Strain: LTS
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Crude
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 01/15/2026
Completed: 01/29/2026
Batch#:

Client:
Tilia Processing
Lic. # MANU0012
 85 Industrial Park Rd
 Hardwick, VT 05843



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	01/20/2026	Complete
Terpenes	01/19/2026	Complete
Residual Solvents	01/20/2026	Complete
Pesticides	01/20/2026	Complete
Heavy Metals	01/22/2026	Complete

Cannabinoids

Completed

84.80%				ND				86.81%			
Total THC				Total CBD				Total Cannabinoids			
Analyte	LOQ	Results	Results	Mass	Mass	Analyte	LOQ	Results	Results	Mass	Mass
	mg/g	%	mg/g	mg/mL	mg/container		mg/g	%	mg/g	mg/mL	mg/container
CBDVa	0.0003	<LOQ	<LOQ			CBCVa	0.0003	<LOQ	<LOQ		
CBDV	0.0003	<LOQ	<LOQ			CBNa	0.0003	<LOQ	<LOQ		
CBDa	0.0005	<LOQ	<LOQ			Δ9-THC	0.0005	84.80	848.0		
CBGa	0.0005	<LOQ	<LOQ			Δ8-THC	0.0003	<LOQ	<LOQ		
CBG	0.0005	1.30	13.0			Δ10-THC*	0.0002	<LOQ	<LOQ		
CBD	0.0005	<LOQ	<LOQ			CBL	0.0005	<LOQ	<LOQ		
THCV	0.0003	<LOQ	<LOQ			CBC	0.0003	0.72	7.2		
CBLV	0.0003	<LOQ	<LOQ			THCa	0.0005	<LOQ	<LOQ		
CBCV	0.0003	<LOQ	<LOQ			CBCa	0.0006	<LOQ	<LOQ		
THCVa	0.0003	<LOQ	<LOQ			CBLa	0.0005	<LOQ	<LOQ		
CBN	0.0005	<LOQ	<LOQ			Total THC		84.80	847.95		
						Total CBD		ND	ND	ND	ND
						Total		86.81	868.14	0.00	0.00

Analyst: 048

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the

particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




 Luke Emerson-Mason
 Laboratory Director
 01/29/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


MANU0012-065

 Sample ID: BIA260115S0312
 Strain: LTS
 Harvest Lot:
 Matrix: Concentrates & Extracts
 Type: Crude
 Sample Size: 1 units
 Lot#:

 Produced:
 Collected:
 Received: 01/15/2026
 Completed: 01/29/2026
 Batch#:

 Client
Tilia Processing
 Lic. # MANU0012
 85 Industrial Park Rd
 Hardwick, VT 05843

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Ocimene	0.010	6.205	0.620
Limonene	0.010	6.096	0.610
β-Pinene	0.010	3.944	0.394
β-Myrcene	0.010	3.844	0.384
α-Pinene	0.010	3.544	0.354
β-Caryophyllene	0.010	2.600	0.260
Linalool	0.010	1.994	0.199
Camphene	0.010	1.017	0.102
α-Humulene	0.010	0.827	0.083
Terpinolene	0.010	0.707	0.071
γ-Terpinene	0.010	0.109	0.011
α-Terpinene	0.010	0.056	0.006
Guaiol	0.010	0.055	0.005
Eucalyptol	0.010	0.051	0.005
Geraniol	0.010	0.024	0.002
α-Bisabolol	0.010	0.020	0.002
Caryophyllene Oxide	0.010	0.011	0.001
3-Carene	0.010	0.011	0.001
cis-Nerolidol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		31.113	3.111

Primary Aromas



Analyst: 063

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason
 Laboratory Director
 01/29/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


MANU0012-065

Sample ID: BIA260115S0312
Strain: LTS
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Crude
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 01/15/2026
Completed: 01/29/2026
Batch#:

Client:
Tilia Processing
Lic. # MANU0012
85 Industrial Park Rd
Hardwick, VT 05843

Pesticides

Completed

Category 1 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Chlorpyrifos	0.0003	0.0010	ND
Imazalil	0.0003	0.0010	ND
Category 2 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Abamectin	0.0003	0.0010	ND
Acephate	0.001	0.0050	ND
Acequinocyl	0.0003	0.0010	ND
Azoxystrobin	0.00005	0.0010	ND
Bifenazate	0.0001	0.0010	ND
Bifenthrin	0.0001	0.0010	ND
Carbaryl	0.0001	0.0010	ND
Cypermethrin	0.001	0.0050	ND
Etoxazole	0.0001	0.0010	ND
Imidacloprid	0.00005	0.0010	ND
Myclobutanil	0.0001	0.0010	ND
Pyrethrins	0.001	0.0050	ND
Spinosyn A	0.0001	0.0010	ND
Spinosyn D	0.0003	0.0010	ND

Analyst: 062

Pesticides Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

LOQ = The lowest quantity this method can reliably quantify. Any pesticides or mycotoxins that were not quantifiable are less than the stated LOQ (<LOQ).

ppm = parts per million

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

ND = Not Detected (<LOD)




Luke Emerson-Mason
 Laboratory Director
 01/29/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



MANU0012-065

Sample ID: BIA260115S0312
Strain: LTS
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Crude
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 01/15/2026
Completed: 01/29/2026
Batch#:

Client:
Tilia Processing
Lic. # MANU0012
85 Industrial Park Rd
Hardwick, VT 05843

Heavy Metals

Completed

Analyte	LOQ	Results
	µg/g	µg/g
Chromium	0.0005	NT
Nickel	0.0005	NT
Copper	0.0005	NT
Zinc	0.0005	NT
Arsenic	0.0005	0.0007
Cadmium	0.0005	<LOQ
Mercury	0.0001	<LOQ
Lead	0.0005	0.0119
Total		0.0126

Analyst: 052

Heavy Metal Methodology: ICP-MS using PerkinElmer NexION® 2000 ICP Mass Spectrometer

Reagent Blanks: < LOQs for all analytes

ppm = parts per million

LOQ = The lowest quantity that this method can reliably detect. Any heavy metal that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




Luke Emerson-Mason
 Laboratory Director
 01/29/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



MANU0012-065

Sample ID: BIA260115S0312
Strain: LTS
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Crude
Sample Size: 1 units
Lot#:

Produced:
Collected:
Received: 01/15/2026
Completed: 01/29/2026
Batch#:

Client
Tilia Processing
Lic. # MANU0012
85 Industrial Park Rd
Hardwick, VT 05843

Residual Solvents

Completed

Analyte	LOQ	Results
	µg/g	µg/g
Acetone	50.00	<LOQ
Acetonitrile	50.00	<LOQ
Benzene	0.50	<LOQ
n-Butane	50.00	<LOQ
Chloroform	5.00	<LOQ
Ethanol	500.00	<LOQ
Ethyl-Acetate	500.00	<LOQ
Ethyl-Ether	500.00	<LOQ
Heptane	500.00	<LOQ
n-Hexane	5.00	<LOQ
Isopropanol	50.00	<LOQ
Methanol	50.00	<LOQ
Dichloromethane	50.00	<LOQ
n-Pentane	500.00	<LOQ
Propane	500.00	<LOQ
Toluene	50.00	<LOQ
Trichloroethylene	500.00	<LOQ
Xylenes	50.00	<LOQ
Total		0

Analyst: 063

Residual Solvent Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

LOQ = The lowest quantity that this method can reliably detect. Any residual solvent that was not detected is assumed to be less than the stated LOQ (<LOQ).

Reagent Blanks: < LOQs for all analytes




Luke Emerson-Mason
Laboratory Director
01/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

